

CITY OF LOS ANGELES
CALIFORNIA

BOARD OF
BUILDING AND SAFETY
COMMISSIONERS

VAN AMBATIELOS
PRESIDENT

E. FELICIA BRANNON
VICE PRESIDENT

JOSELYN GEAGA-ROSENTHAL
GEORGE HOVAGUIMIAN
JAVIER NUNEZ



ERIC GARCETTI
MAYOR

DEPARTMENT OF
BUILDING AND SAFETY
201 NORTH FIGUEROA STREET
LOS ANGELES, CA 90012

FRANK M. BUSH
GENERAL MANAGER
SUPERINTENDENT OF BUILDING

OSAMA YOUNAN, P.E.
EXECUTIVE OFFICER

Gary Stern
Belmont Equipment, Takara Belm
101 Belmont Drive
Somerset, NJ 08873-1204

Telephone: 800-223-1192

Models:

X-CALIBUR: BDS -0020, -0050, -0099, -2500, -2505, -2510, -2515, -2520, -2525, -2530, -2532, -2535, -2541, -2543, -2555, -2561, -2563, -2564, -2570, -2571, -2572, -2573, -2575, -2580, -2589, -2590

File Number: M-000020

Effective Date: 11/01/2017

Expiration Date: 11/01/2018

Manufacturer: BELMONT, FOREST, PARTS W.

Item: DENTAL UNIT

PLEASE REFER TO THE APPLICATION NUMBER ON ALL CORRESPONDENCE, PHONE CALLS & SAMPLES

The item processed under the above file number has been tested, examined and found to comply with applicable Los Angeles Plumbing Code (LAPC) and/or Los Angeles Mechanical Code (LAMC) and is hereby approved unless revoked for cause.

This letter or the letterhead copy may not be reproduced for use in labeling or advertising, but copies of this letter may be used within your organization and shown as evidence of approval.

CONDITIONS OF APPROVAL:

1. An approved pressure vacuum breaker shall be installed on each potable water inlet at least 12" above all downstream piping and flood-level rim of receptor per Section 94.603.2 of the Los Angeles Plumbing Code (LAPC), 2017 Edition
2. Drain line shall be routed without dips and sags to an approved indirect waste receptor or connected to an approved vacuum pump system.

Each item shall have the name or trademark of manufacturer and model number where it will be visible for inspection.

In order to renew this approval, an application and reexamination fee must be submitted on or before the expiration date shown above. Arrangement shall be made to remove any test samples remaining in the Laboratory. Samples remaining after 21 days from the date of this notice will be shipped collect by the most convenient carrier or disposed of in accordance with applicable regulation.

Irene M Pool Tamayo
Mechanical Testing Laboratory, Test Engineer