

CITY OF LOS ANGELES

CALIFORNIA



ERIC GARCETTI
MAYOR

BOARD OF
**BUILDING AND SAFETY
COMMISSIONERS**

—
VAN AMBATIELOS

PRESIDENT

E. FELICIA BRANNON
VICE-PRESIDENT

JOSELYN GEAGA-ROSENTHAL
GEORGE HOVAGUIMIAN
JAVIER NUNEZ

DEPARTMENT OF
BUILDING AND SAFETY

201 NORTH FIGUEROA STREET
LOS ANGELES, CA 90012

—
FRANK BUSH
GENERAL MANAGER
SUPERINTENDENT OF BUILDING

OSAMA YOUNAN, P.E.
EXECUTIVE OFFICER
—

PROSOCO, Incorporated
3741 Greenway Circle
Lawrence, KS 66046-5441

Attn: Kevin Sigourney
(785) 865-4200

Local Representative: Dane Olson
(714) 330-5110

RESEARCH REPORT: RR 25079
(CSI # 09960)

Expires: March 1, 2020
Issued Date: February 1, 2018
Code: 2017 LABC

GENERAL APPROVAL – Clerical Modification and Renewal - PROSOCO System-as an Anti-Graffiti Coating System.

DETAILS

The PROSOCO System consists of the following:

1. Sure Klean ® Weather Seal Blok-Guard ® and Graffiti Control II-coating system for graffiti protection (non-sacrificial).
2. Defacer Eraser ® SC-1 Sacrificial Coating.
3. Enviro Klean ® SafStrip - Gelled graffiti removal product.

The approval is subject to the following conditions:

1. Anti-Graffiti coating must have the capability of having all types of paints and graffiti materials completely removed without damaging the uncoated surfaces to which they are applied.
2. The anti-graffiti coating and products required to remove graffiti from the coating must be non-toxic and comply with all applicable requirements of the South Coast Air Quality Management District.

RR 25079
Page 1 of 3

ProSoCo Incorporated

RE: ProSoCo System – as an Anti-Graffiti Coating System

3. The coating must be weather and rain resistant, abrasive resistant, peel resistant, ultra-violet resistant, non-yellowing and allow moisture vapor transmission as tested in accordance with applicable ASTM Standards.
4. The removal of graffiti shall cause little or no change in the appearance of treated surface.
5. Disposal of graffiti removal by-products must conform to all state and city waste disposal regulations.
6. Manufacturer shall provide a copy of instructions for application of the coating, material specifications, and method and materials required to remove graffiti for each job site.
7. The VOC content of the anti-graffiti coating shall be in compliance with the South Coast Air Quality Management District (SCAQMD) Rule 1113.

DISCUSSION

The clerical modification is to update the petitioner contact person and to recognize the 2017 Los Angeles Building Code for this general approval.

The report is in compliance with the 2017 Los Angeles City Building Code.

Sure Klean® Weather Seal Blok-Guard and Graffiti Control II is classified as a Low Solids coating in SCAQMD Rule 1113 with a VOC content of 14 g/L. Defacer Eraser SC-1 is classified as a Low Solids coating in Rule 1113 with a VOC content of 7 g/L. Enviro Klean® SafStrip is exempt from Rule 1171 for graffiti removal.

The approval is based on satisfactory laboratory and field test. Notarized statements from manufacturer certifying that the product complies with Conditions No. 1 thru 5 of this approval are on file with the Engineering Research Division.

Addressee to whom this Research Report is issued is responsible for providing copies of it, complete with any attachments indicated, to architects, engineers and builders using items approved herein in design or construction which must be approved by Department of Building and Safety Engineers and Inspectors.

ProSoCo Incorporated
RE: ProSoCo System – as an Anti-Graffiti Coating System

This general approval of an equivalent alternate to the Code is only valid where an engineer and/or inspector of this Department has determined that all conditions of this Approval have been met in the project in which it is to be used.

QUAN NGHIEM, Chief
Engineering Research Section
201 N. Figueroa St., Room 880
Los Angeles, CA 90012
Phone- 213-202-9812
Fax- 213-202-9943

EB
RR 25079
TLB1800024
R02/12/18
6306