

BOARD OF  
BUILDING AND SAFETY  
COMMISSIONERS

MARSHA L. BROWN  
PRESIDENT

VAN AMBATIELOS  
VICE-PRESIDENT

VICTOR H. CUEVAS  
HELENA JUBANY  
ELENORE A. WILLIAMS

CITY OF LOS ANGELES  
CALIFORNIA



ANTONIO R. VILLARAIGOSA  
MAYOR

DEPARTMENT OF  
BUILDING AND SAFETY  
201 NORTH FIGUEROA STREET  
LOS ANGELES, CA 90012

ANDREW A. ADELMAN, P.E.  
GENERAL MANAGER

RAYMOND CHAN  
EXECUTIVE OFFICER

Anthony Forest Products Company  
309 N. Washington  
El Dorado, AR 71730

Attn: Kerlin Drake  
(870) 862-3414

RESEARCH REPORT: RR 25381  
(CSI #06180)

BASED UPON ICBO ES EVALUATION  
REPORT NO. ESR-1104

REEVALUATION DUE DATE:  
September 1, 2010  
Issued Date: November 1, 2008  
Code: 2008 LABC

**GENERAL APPROVAL** – Reevaluation/Clerical modification - Anthony Power Beams  
Combinations 28F-E 1, 28F-E 2, 30F-E 1 and 30F-E 2.

## DETAILS

The above assemblies and /or products are approved when in compliance with the description, use, identification and findings of Report No. ESR-1104 , dated September 1, 2008, of the ICC Evaluation Service, Incorporated. The report in its entirety is attached and made part of this General Approval.

The parts of Report No. ESR-1104 which are excluded on the attached copy have been removed by the Los Angeles City Building Department as not being included in this approval.

### **The Approval is subject to the following conditions:**

1. Anthony Power Beams shall be manufactured by a Los Angeles City licensed fabricators.
2. Beams shall be identified by a stamp bearing the name of Anthony Forest Products, the plant location, the evaluation report number and the logo of the quality control agency, American Institute of Timber Construction (AITC).

RR 25381  
Page 1 of 2

Anthony Forest Products Company  
RE: Anthony Power Beams

3. Design values are noted in Table 1. The design and installation requirements for structural glued-laminated beams and connections shall comply with the 2008 Los Angeles City Building Code. Beams shall be designed and detailed by an Architect, Civil Engineer or Structural Engineer registered in the State of California.
4. Beams are not permitted to be notched or cut.

**DISCUSSION:**

The Clerical Modification is to change the basis of this report to ICC-ES Evaluation report ESR-1104.

This general approval will remain effective provided the Evaluation Report is maintained valid and unrevised with the issuing organization. Any revision to the report must be submitted to this department, with appropriate fee, for review in order to continue the approval of the revised report.

Addressee to whom this Research Report is issued is responsible for providing copies of it, complete with any attachments indicated, to architects, engineers and builders using items approved herein in design or construction which must be approved by Department of Building and Safety Engineers and Inspectors.

This general approval of an equivalent alternate to the Code is only valid where an engineer and/or inspector of this Department has determined that all conditions of this Approval have been met in the project in which it is to be used.

YEUAN CHOU, Chief  
Engineering Research Section  
201 N. Figueroa St., Room 880  
Los Angeles, CA 90012  
Phone - 213-202-9812  
Fax - 213-202-9942

BG:elcm  
RR25381/MSWord2003  
R10/25/08  
IID/2303.1.3

Attachment: ICC ES Report No. ESR-1104 (4 Pages)